



## **Search for genetic virulence markers in viral haemorrhagic septicaemia virus (VHSV) using a reverse genetics approach**

**Stegmann, Anders; Biacchesi, S.; Bremont, M.; Lorenzen, Niels; Einer-Jensen, Katja**

*Publication date:*  
2011

[Link back to DTU Orbit](#)

### *Citation (APA):*

Stegmann, A., Biacchesi, S., Bremont, M., Lorenzen, N., & Einer-Jensen, K. (2011). *Search for genetic virulence markers in viral haemorrhagic septicaemia virus (VHSV) using a reverse genetics approach*. Abstract from 15th International Conference on Diseases of Fish and Shellfish, Split, Croatia.

---

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Search for genetic virulence markers in viral haemorrhagic septicaemia virus (vhsv) using a reverse genetics approach.

**A.Stegmann<sup>1</sup>, S. Biacchesi<sup>2</sup>, M. Bremont<sup>2</sup>, N.Lorenzen<sup>1</sup> and K. Einer-Jensen<sup>1</sup>**

<sup>1</sup>National Veterinary Institute, DTU, Aarhus, Denmark

<sup>2</sup>INRA, Jouy, France

VHSV is a negative strand RNA virus causing serious disease in farmed rainbow trout. Although VHSV has been eradicated by stamping out procedures in several fresh water bodies, recently including all streams in Denmark, the wildlife marine reservoir still represents a threat against rainbow trout farming. Particularly in Scandinavia, outbreaks of VHS in sea reared rainbow trout have demonstrated that although marine variants of VHSV are considered to be avirulent to rainbow trout, the virus is potentially able to adapt to this host and cause disease. Limited knowledge about the genetic background for virulence to rainbow trout makes it difficult to differentiate between dangerous and harmless VHSV variants. With the aim of identification of genetic virulence markers, we have implemented reverse genetics technology for generation of hybrid virus variants. By substituting different regions in the genome of a virulent VHSV variant with the homologous regions from the genome of an avirulent variant, a set of chimeric viral genomes were generated. Following rescue of the hybrid viruses, the plan is to do comparative challenge experiments in rainbow trout fingerlings in order to assess which substitutions that affect the pathogenicity of the virus.